

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of treating metastasis of cancer in a subject at a site distal to the site of surgical resection of a tumor in the subject, wherein said subject is in need of such treatment and the metastasis is present at a site distal to the site of surgical resection of the tumor in the subject, said method comprising the steps of:

surgically resecting a tumor from the subject; and

administering an attenuated, replication-competent, oncolytic herpes virus to the site of surgical resection.

2. (Canceled).

3. (Original) The method of claim 1, wherein said cancer has metastasized from the site of surgical resection.

4. (Original) The method of claim 3, wherein said cancer is present in the lymphatic system of said subject.

5. (Original) The method of claim 4, wherein said cancer is present in a lymph node of said subject.

6. (Original) The method of claim 1, wherein said herpes virus is a herpes simplex-1-derived virus.

7. (Original) The method of claim 6, wherein said herpes virus is NV1023.
8. (Original) The method of claim 1, wherein said subject is a human.
9. (Original) The method of claim 1, wherein said herpes virus is administered to said subject by injection.
10. (Original) The method of claim 1, wherein said herpes virus comprises a heterologous nucleic acid molecule encoding a therapeutic product.
11. (Original) The method of 10, wherein said therapeutic product is selected from the group consisting of cytotoxins, immunomodulatory proteins, tumor antigens, antisense nucleic acid molecules, and ribozymes.
12. (Original) The method of claim 1, further comprising administering a second anticancer treatment to said subject.
13. (Original) The method of claim 12, wherein said second anticancer treatment is selected from the group consisting of chemotherapy, biological therapy, radiation therapy, and gene therapy.
14. (Canceled).

15-27. (Canceled).

28. (Currently Amended) A method of treating regional lymphatic metastases in a subject in need of such treatment, wherein the regional lymphatic metastases are present at a site distal to a site of surgical resection of a tumor in the subject, said method comprising the steps of:

surgically resecting a tumor from the subject; and

administering an attenuated, replication-competent, oncolytic herpes virus to the site of surgical resection.